

T450 SPECS & COMPARE

▲ T450 Key Specifications

T450

Horsepower

55 hp

Rated Operating Capacity

1490 lbs

Operating Weight

6424 lbs

Auxiliary Std Flow

16.7 gpm

Length without Attachment

98.4 in

Height to Bucket Hinge Pin

109.5 in

Reach @ Maximum Height

23.5 in

▼ Engine

T450

Horsepower

55 hp

▼ Performance

T450

Rated Operating Capacity

1490 lbs

Operating Capacity (50% of Tip)

2120 lbs

Tipping Load

4257 lbs

Operating Weight

6424 lbs

Travel Speed

7 mph

Travel Speed (2-speed option)

11 mph

Ground Pressure (Rubber)

4.8 psi

▼ Capacities

T450

Fuel Tank

17.1 gal

▼ Hydraulic System

T450

System Relief @ Quick Couplers

3300 psi

Auxiliary Std Flow

16.7 gpm

▼ **Dimensions**

T450

Length

98.4 in

Length without Attachment

98.4 in

Length with Standard Bucket

126.6 in

Width

55 in

Height with Operator Cab

77.8 in

Height to Bucket Hinge Pin

109.5 in

Reach @ Maximum Height

23.5 in

Turning Radius

77.9 in

Length of track on ground

50.2 in

Track Width

11.8 in

▼ **Features**

T450

Joystick Control

Optional

Air Conditioning

Optional

Backup Alarm

Standard

BICS System (Interlock)

Standard

Cab Enclosure

Optional

ROPS/FOPS Approved

Standard

ROPS-Step

N/A

Sound Option

Optional

Cab Heater

Optional

Heater Air Conditioning

Optional

Operating Lights

Standard

Work Lights

Standard

Rear Window

Standard

Top Window

Standard

Grab Handles

N/A

Seat Belt

Standard

Suspension Seat

Standard

Two Speed Travel

Not Applicable

Deluxe Instrumentation

Optional

Lockable Ignition

N/A

Engine Shutdown

Standard

Hydraulic Bucket Positioning

Optional

High Flow Option

Not Applicable

Auxiliary Hydraulics

Standard

3-Spool Valve

N/A

Grease Track Tension

Standard

Purifier Muffler Opt

Not Applicable

Spark Arrestor Muffler

Standard

Bob-Tach Attachment System

Standard

Power Bob-Tach

Optional

ACS (Switchable Controls)

Not Applicable

Ride Control

Not Applicable

Horn

Standard